## Full Height Turnstile

#### CATALOGUE





Warranty

3 Years



Make quality turnstile, and make you secure.



www.daosafe.eu

## Full Height Turnstile



Full height turnstile is the highest security kind of turnstile, which can make stricter Force control than other type.





#### Model No. DS411

Full height turnstile DS411 is designed to provide entry access control solutions in places that need high security, such as prison, stadium and construction site.

Material: 304 stainless steel Size: 1460 \* 1250 \* 2300mm Net weight: 200kg/pcs Passage width: 650mm Pass rate: 30 person/min Working environment: indoor/outdoor

### Full Height Turnstile





## Model No. DS412

- Full Height turnstile DS412 is the secure turnkey solutions for events that have high-security request, industrial enterprises, stadium, football field, for instance.
- It is long-lasting durable, strong and robust for indoor and outdoor used, as all material is rigid, anti-rust and waterproof full brushed stainless steel.

Material: 304 stainless steel Size: 2200 \* 1250 \* 2300mm Net weight: 350kg/pcs Pass rate: 30 person/min (one lane) Pass width: 2 lanes, 675mm/lane

## Full Height Turnstile (with wide lane)



It supports 900mm for bicycle/wheelchair access, and supports 660mm standard gate for pedestrian access, which provides a high safety and convenient access solution.



#### Model No. DS408 (wheelchair)

Turnstile with wheelchair gate for pedestrian and handicapped access.

Material: 304 stainless steel Size: 2450 \* 1260 \* 2300mm Net weight: 380kg/pcs Pass rate: 30 person/min Pass width: 2 lanes, 660mm/lane for pedestrian, 900mm/lane for wheelchair LED indicator: yes



#### Model No. DS409 (bicycle)

Turnstile with bicycle gate for pedeatrian and rider access.

Material: 304 stainless steel Size: 2450 \* 1260 \* 2300mm Net weight: 380kg/pcs Pass rate: 30 person/min Pass width: 2 lanes, 660mm/lane for pedestrian, 900mm/lane for bicycle LED indicator: yes

## Full Height Turnstile (with canopy)



It's ideal for outdoor enviroments, as the solid rain protection roof is designed to resist bad weather and intrusions.



#### Model No. DS401FS

One door with rain cover type, single and bi-directional for adjustment.

Material: 304 stainless steel Size: 1460 \* 1460 \* 2300mm Net weight: 200kg/pcs Pass rate: 30 person/min Pass width: 625mm LED indicator: yes



#### Model No. DS402FS

The model is rain cover double-door type, and bi-directional passage control.

Material: 304 stainless steel Size: 2200 \* 1460 \* 2300mm Net weight: 400kg/pcs Pass rate: 30 person/min Pass width: 2 lanes, 625mm/lane LED indicator: yes

## Full Height Turnstile Overview



















www.daosafe.eu








## **Project Reference**









# DaoSáfe

Email: sales@daosafe.eu Web: www.daosafe.eu